

	Type	Hits	Search Text	DBs
1	BRS	245	712/300.ccls.	USPAT
2	BRS	575755	DEC alpha	USPAT
3	BRS	60948	DEC and alpha	USPAT
4	BRS	53	DEC and (alpha adj processor)	USPAT
5	BRS	38	richard.in. and sites.in.	USPAT
6	BRS	6	richard.in. and sites.in. and alpha	USPAT
7	BRS	1	Alpha adj AXP adj Chip	USPAT
8	BRS	19	AMD.as.	USPAT
9	BRS	1	"6094688".pn.	USPAT
10	BRS	1	"6094668".pn.	USPAT
11	BRS	1	intel.as. and (mmx adj instruction)	USPAT
12	BRS	8	intel.as. and (mmx adj instruction)	USPAT
13	BRS	10	MMX and ((search\$4 or determin\$4) same (min or max or minimum or maximum) same ((multiple near2 instruction\$3) or array or vector))	USPAT
14	BRS	0	MMX and ((search\$4 or determin\$4) same (min or max or minimum or maximum) same ((multiple near2 instruction\$3)))	USPAT
15	BRS	0	MMX and ((search\$4 or determin\$4) same (array) same ((multiple near2 instruction\$3)))	USPAT
16	BRS	0	MMX and ((search\$4 or determin\$4) same (vector) same ((multiple near2 instruction\$3)))	USPAT
17	BRS	1	MMX and ((search\$4 or determin\$4) same (array) same (((multiple or multi\$5 or more or one or two or three) near2 instruction\$3)))	USPAT
18	BRS	53	MMX and ((search\$4 or determin\$4) same (array))	USPAT
19	BRS	430	MMX	USPAT
20	BRS	13	MMX with (search\$4 or determin\$4)	USPAT

21	BRS	10	((more or increas\$3) near2 parallel\$4) same ((less or few\$3 or deecreas\$3)near3 instruction\$3)	USPAT
----	-----	----	--	-------

	Type	Hits	Search Text	DBs
22	BRS	17	((less or few\$3 or deecreas\$3)near3 instruction\$3) SAME (pack\$3 near2 data)	USPAT
23	BRS	105	((more or increas\$3)near3 instruction\$3) SAME (pack\$3 near2 data)	USPAT
24	BRS	70	((more or increas\$3)near3 instruction\$3) with (pack\$3 near2 data)	USPAT
25	BRS	0	((more or increas\$3)near3 instruction\$3) with (MMX or(pack\$3 near2 data)) same (exceed near2 limit)	USPAT
26	BRS	2334	((search\$3 or determin\$3)near2 (value or min or minimum or max or maximum)) with array)	USPAT
27	BRS	61	((search\$3 or determin\$3)near2 (value or min or minimum or max or maximum)) with array)) and (mmx or (pack\$3 adj data))	USPAT
28	BRS	22	((search\$3 or determin\$3)near2 (value or min or minimum or max or maximum)) with array)) and (mmx or (pack\$3 adj data))) and saturat\$3	USPAT
29	BRS	22	MMX and ((search\$4 or determin\$4) same (array)) and pointer	USPAT
30	BRS	8	MMX and ((search\$4 or determin\$4) same (array) same pointer)	USPAT
31	BRS	12462	kobayashi.in.	USPAT
32	BRS	1	"4774688".pn.	USPAT
33	BRS	1	"6094668".pn.	USPAT
34	BRS	4516	(minimum or min) near2 (even or odd)	USPAT
35	BRS	1396	(minimum or min) adj (even or odd)	USPAT
36	BRS	1396	((minimum or min) adj (even or odd)) same ((minimum or min) adj (even or odd))	USPAT
37	BRS	8	((minimum or min) adj (even or odd)) same ((maximum or max) adj (even or odd))	USPAT
38	BRS	1	"6094688".pn.	USPAT

	Type	Hits	Search Text	DBs
39	BRS	1	"6094668".pn.	USPAT
40	BRS	1471	707/? .ccls. and array	USPAT
41	BRS	250	708/207,236,524,671.ccls.	USPAT
42	BRS	1	"4774688".pn.	USPAT
43	BRS	1	"9923548"	EPO
44	BRS	1	minimum adj location	EPO
45	BRS	185	minimum adj location	USPAT
46	BRS	112	(minimum adj location) and \$5processor	USPAT
47	BRS	421	(minimum adj position) and \$5processor	USPAT
48	BRS	2	(minimum adj position adj calculat\$4) and \$5processor	USPAT
49	BRS	1	"6094668".pn.	USPAT
50	BRS	161	search adj array	USPAT
51	BRS	129	(search adj array) and (minimum or maximum)	USPAT
52	BRS	18	search adj array) same (minimum or maximum	USPAT
53	BRS	5	parallel adj search near2 array	USPAT
54	BRS	72	708/207.ccls.	USPAT
55	BRS	542	711/220.ccls.	USPAT
56	BRS	407	712/244.ccls.	USPAT
57	BRS	8	address adj correction adj factor	USPAT
58	BRS	374	address adj correction	USPAT
59	BRS	15	memory adj address adj correction	USPAT
60	BRS	25	memory adj address adj (correction or adjust\$5)	USPAT

	Type	Hits	Search Text	DBs
1	BRS	18	712/227.ccls. and 712/244.ccls.	USPAT
2	BRS	218	714/37.ccls.	USPAT
3	BRS	140	717/127.ccls.	USPAT
4	BRS	280	712/227.ccls.	USPAT
5	BRS	674	performance adj monitor	USPAT
6	BRS	2	(performance adj monitor) same (event or exception) same (tag or track)	USPAT
7	BRS	101	(performance adj monitor) same (event or exception)	USPAT
8	BRS	66	(performance adj monitor) with (event or exception)	USPAT
9	BRS	315	712/244.ccls.	USPAT
10	BRS	105	717/130.ccls.	USPAT
11	BRS	248	714/45.ccls.	USPAT
12	BRS	140	714/45.ccls. and (exception or event)	USPAT
13	BRS	376	(performance adj monitor) and (event or exception)	USPAT
14	BRS	1	"5987598".pn.	USPAT
15	BRS	1	"5608866".pn.	USPAT
16	BRS	1	"5608886".pn.	USPAT
17	BRS	354	branch adj history adj table	USPAT
18	BRS	19	((correct or incorrect) near2 predict\$4) same(branch adj history adj table)	USPAT
19	BRS	87	((correct or incorrect or hit or miss) near2 predict\$4) same(branch adj history)	USPAT
20	BRS	92	((correct or incorrect or hit or miss or valid or invalid) near3 bit) with (branch near2 predict\$4)	USPAT
21	BRS	77	((valid or invalid) near3 bit) with (branch near2 predict\$4)	USPAT
22	BRS	4	(count or tall\$4) near2 mispredict\$5	USPAT
23	BRS	14	(count\$4 or tall\$4 or total\$3) near2 mispredict\$5	USPAT
24	BRS	33	(count\$4 or tall\$4 or total\$3) near3 mispredict\$5	USPAT
25	BRS	256	708/207,236,524,671.ccls.	USPAT
26	BRS	458	712/300,223,21.ccls.	USPAT